

AC 1100

Cummins
Mecc Alte
D+' &'

Manufacturer		Cummins		
Model		QST 30 G4		
		%\$\$' "# "		
		- +\$' "		
		0% \$\$< DQ		
	L	30,48		
	"	140 x 165		
		14,0:1		
	fl # ı	"# "	1500	
	fl ı	L	154,00	
		L	342,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	60,00		
	' # "	1488		
fl ' # ı	' # "	180,00		
	° C	575		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "	202,00	151,00	102,00

		Mecc Alte		
		ECO 43-1LN14		
	Hz	50		
	"	1100		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	1587		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 1100	7350	4400	1760	2350	1250
		fl ı		fl ı	
	"	"	"	"	L
AK 96	11000	7500	2300	2500	1500

AC 1100

Cummins
Mecc Alte
D+ &

f@z@Bl
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#

#

6G'9B'*\$-\$)

6G'9B'*\$\$\$!*!&

6G'9B'*\$\$\$!*!(

f&%) +L

f&)(, L

f&%) \$L

GA 8

%, !&*\$

&(\$)

ž

ž

!&('

"

ž

ž

"

"

