

AC 66

Cummins  
Mecc Alte  
P 72



ISO8528

GC ; ) &

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$\$( #

ž) \$' ž' \$ž ' D:

	"	"	"	"	Amp
400/230	66,00	53,00	60,00	48,00	86,00

FDGDE

GC ; ) &

) & ž

FDGDE

%&

GC" \$(\*\*

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

# AC 66

Cummins  
Mecc Alte  
P 72

Manufacturer		Cummins		
Model		S3,8-G7		
		% \$ \$	"# "	
		*) ' "Q +< DQ		
	L	3,80		
	"	97 x 128		
		17,5:1		
	fl # 7	"# "	1500	
	fl 7	L	11,00	
		L	19,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	4,60		
	' # "	116		
	' # "	10,00		
	° C	510		
		12 V d.c.		
	Load	% \$ \$	'+) I	) \$
	# "			
		14,70	11,00	6,10


		Mecc Alte		
		ECO 32-2L/4		
	Hz	50		
	"	60		
7cg		0,80		
		3		
	fl 7	400/230		
	A	86		
Temperatur		H		

		fl 7		fl 7	
	"	"	"	"	L
AC 66	950	2150	1050	1450	240
		fl 7		fl 7	
	"	"	"	"	L
AK 40	1300	3100	1110	1750	240

# AC 66

Cummins  
Mecc Alte  
P 72

1 D' + & !'



- 1
- 2
- 3
- 4
- 5

2

8G9ž +&\$ž ) 5ž&&\$#(\$

3

4

5

8G9' +&\$

8G9 +&\$

fl

8G9' +&\$

ž

fl

ž

ž

fl

%\$\$

ž

#

ž

ž

ž

ž

"

# AC 66

Cummins  
Mecc Alte  
P 72

f@BŁ  
f@%&@Ł  
f@%&@BŁ

#

#

6G'9B \*\$-\$) \$  
6G'9B \*%\$\$!\*&  
6G'9B \*%\$\$!\*(

GA 8

%, !&\* \$

%)

ž

ž

!%&


"

ž

# AC 66

Cummins  
Mecc Alte  
P 72

5? (\$!'



1

1. Cummins Mecc Alte P 72 66 kVA Standby AC generator. The generator is designed for standby power applications and is suitable for use in various environments. It features a robust construction and a long service life. The generator is equipped with a control panel and a cooling fan. The oil dipstick and oil filler are located on the top cover. The oil drain is located on the bottom cover. The top access panel provides access to the engine and generator components.

2

2. The generator is designed for standby power applications and is suitable for use in various environments. It features a robust construction and a long service life. The generator is equipped with a control panel and a cooling fan. The oil dipstick and oil filler are located on the top cover. The oil drain is located on the bottom cover. The top access panel provides access to the engine and generator components. The generator is designed for easy installation and maintenance. It is suitable for use in both indoor and outdoor environments. The generator is equipped with a control panel and a cooling fan. The oil dipstick and oil filler are located on the top cover. The oil drain is located on the bottom cover. The top access panel provides access to the engine and generator components.

	"	1110
fl "L	"	3100
fl "L	"	1750
		240