

AD 275

Doosan
Mecc Alte
D+ &



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	"	"	"	Amp
400/230	275,00	220,00	250,00	200,00	360,00

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

D; A Ž 5JF

fl " E

fl " E

fl \$\$\$ \$\$\$ E

TRANSFER SWITCH

fl " E

fl " E

fl \$\$\$ \$\$\$ E

AD 275

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P126TI		
		%\$\$' "# "		
		&+&' "		
		0*(<DQ		
	L	11,05		
	"	123 x 155		
		17,0:1		
	fl # ı	"# "	1500	
	fl ı	L	23,00	
		L	65,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	16,40		
	' # "	280		
fl ' # ı	' # "	43,00		
	° C	560		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "			
		58,10	43,60	30,00

		Mecc Alte		
		ECO 38-1LN		
	Hz	50		
	"	250		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	360		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 275	2350	2850	1300	1650	600
		fl ı		fl ı	
	"	"	"	"	L
AK 61	3070	4000	1353	1882	

