

# APD 275 C

Cummins  
Akso  
D+ &



**SZUTEST**

GC - \$\$%

**2000/14/EC**

&\$\$\$( / #

z) \$ z' \$z 'D:

|         | "      | "      | "      | "      | Amp    |
|---------|--------|--------|--------|--------|--------|
| 400/230 | 275,00 | 220,00 | 250,00 | 200,00 | 360,00 |

fP9GDE

GC , ) &

fDF DE

z&(

GC

**Standard Specifications**

Akso power generation system, providing optimum performance, reliability, and versatility for stationary standby, prime power, and continuous duty applications. All generator sets are prototype tested, factory build, and production tested.

**ALTERNATOR**

**TRANSFER SWITCH**

# APD 275 C

Cummins  
Aksa D+' &'



1

|                                      |        |  |       |       |         |      |         |  |           |  |
|--------------------------------------|--------|--|-------|-------|---------|------|---------|--|-----------|--|
| Manufacturer                         |        | Cummins  |       |       |         |      |         |  |           |  |
| Model                                |        | 6 LTAA8,9-G2   |       |       |         |      |         |  |           |  |
|                                      |        | <table border="1"> <tr> <td>% \$ \$</td> <td>"# "</td> </tr> <tr> <td>&amp;(' " "</td> <td></td> </tr> <tr> <td>0 &amp;) &lt; DQ</td> <td></td> </tr> </table> |       |       | % \$ \$ | "# " | &(' " " |  | 0 &) < DQ |  |
| % \$ \$                              | "# "   |  |       |       |         |      |         |  |           |  |
| &(' " "                              |        |  |       |       |         |      |         |  |           |  |
| 0 &) < DQ                            |        |  |       |       |         |      |         |  |           |  |
|                                      | L      | 8,90   |       |       |         |      |         |  |           |  |
|                                      | "      | 114 X 144  |       |       |         |      |         |  |           |  |
|                                      |        | 17.0:1   |       |       |         |      |         |  |           |  |
|                                      | fl # ı | "# "   | 1500  |       |         |      |         |  |           |  |
|                                      | fl ı   | L  | 24,00 |       |         |      |         |  |           |  |
|                                      |        | L  | 35,00 |       |         |      |         |  |           |  |
| AbsorbedAirDischargeReSourceKey.Text | ' # "  | 20,00  |       |       |         |      |         |  |           |  |
|                                      | ' # "  | 475  |       |       |         |      |         |  |           |  |
|                                      | ' # "  | 32,00  |       |       |         |      |         |  |           |  |
|                                      | ° C    | 585  |       |       |         |      |         |  |           |  |
|                                      |        | 24 V d.c.  |       |       |         |      |         |  |           |  |
|                                      | Load   | % \$ \$ı   | '+)ı  | ) \$ı |         |      |         |  |           |  |
|                                      | # "    | 54,30  | 46,00 | 30,00 |         |      |         |  |           |  |

2

|      |       |         |  |  |
|------|-------|---------|--|--|
|      |       | Aksa    |  |  |
|      |       | AK4200  |  |  |
|      | Hz    | 50      |  |  |
|      | "     | 250     |  |  |
| 7cg' |       | 0,80    |  |  |
|      |       | 3       |  |  |
|      | ıfl ı | 400/230 |  |  |
|      | A     | 360     |  |  |

3

|           |      |       |      |       |     |
|-----------|------|-------|------|-------|-----|
|           |      | ıfl ı |      | ıfl ı |     |
|           | "    | "     | "    | "     | L   |
| APD 275 C | 2050 | 2600  | 1250 | 1700  | 470 |
|           |      | ıfl ı |      | ıfl ı |     |
|           | "    | "     | "    | "     | L   |
| APD 275 C | 2600 | 3650  | 1320 | 2040  |     |





# APD 275 C

Cummins  
Aksa  
D+ &



5D8 (&+) '7 !'

1

f) ! (&+) 7

ž

ž

2

ž

ž

ž

ž

|      |   |      |
|------|---|------|
|      | " | 1320 |
| f) 7 | " | 3650 |
| f) 7 | " | 2040 |