

AC 110

Cummins
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$#(#

ž) \$' ž' \$ž 'D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	144,00

FDGDE

GC ;) &

) & ž

FDGDE

%&

GC" \$(*"

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

AC 110

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6BTA 5,9-G5		
		%\$\$' "# "		
		%%&' "		
		0% +<DQ		
	L	5,90		
	"	102 x 120		
		17,6:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	25,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	7,90		
	' # "	94		
	' # "	21,40		
	° C	540		
		12 V d.c.		
	Load	%%\$ı	'+)ı)\$ı
	# "	25,00	18,00	12,00

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	151		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 110	1250	2200	1050	1600	240
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1650	3100	1110	1750	240

AC 110

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b#Y'VW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'


9'YVW]WV' GUZYhm#9A 7 V'c'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]WV' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$ \$! *!& 9A 7]a a i b]migtUbXUfX"
6G'9B '*%\$ \$! *!('9A 7 Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 H'VW'bc'c[mUbX'ih\Ug\] [\ YZ]V]bYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g] YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chV]VW]hdfchV]V]cb'UbX'ihVWb'VY'i gYX'Ug'U'V'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]V]bYVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchV]V]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]H'f'hc'fYXi V'Y'YVW]WV'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]WV'm]gc'UfYX']bdi hUbX'ci hdi h]m]d]WV'm(_J 'Zcf'\] [\ fY']UV]]h'

AC 110

Cummins
Mecc Alte
P 602

5? (\$!'



1

110 kVA Standby Power Generator
 Cummins P602 Diesel Engine
 Mecc Alte AC Generator
 110 kVA Standby Power Generator
 Cummins P602 Diesel Engine
 Mecc Alte AC Generator

1

110 kVA Standby Power Generator
 Cummins P602 Diesel Engine
 Mecc Alte AC Generator
 110 kVA Standby Power Generator
 Cummins P602 Diesel Engine
 Mecc Alte AC Generator
 110 kVA Standby Power Generator
 Cummins P602 Diesel Engine
 Mecc Alte AC Generator

	"	1110
fl "L	"	3100
fl "L	"	1750
		240